

Type	Application Date	Product	Status	Duration	Duration Of Supply	Indication	Patient dose	Strength	Strength Unit (Product Presentation)
SAS-B	3/07/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd	200	Milligram
SAS-B	26/07/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd	100	Milligram
SAS-B	29/08/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd	200	Milligram
SAS-B	9/09/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd	200	Milligram
SAS-B	14/09/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd	200	Milligram
SAS-B	27/09/2016	Ketoconazole	Approved	3	Month(s)	Cushing disease	200mg once a day	200	Milligram
SAS-B	20/10/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	1tds	200	Milligram
SAS-B	26/10/2016	Ketoconazole	Approved	6	Month(s)	Cushing disease	200mg bd initially up to 400mg tds	200	Milligram
SAS-B	7/11/2016	Ketoconazole	Approved	6	Month(s)	Cushing disease	1 tablet bd for 4 weeks to be followed by 1 tablet tds	200	Milligram
SAS-B	23/11/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	1 tds	200	Milligram
SAS-B	7/12/2016	Ketoconazole	Approved	6	Month(s)	Cushing disease	200mg bd	200	Milligram
SAS-B	13/12/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	300mg mane, 200mg evenings	200	Milligram
SAS-B	16/12/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	2 tablets tds	200	Milligram
SAS-B	22/12/2016	Ketoconazole	Approved	12	Month(s)	Cushing disease	one tablet once daily	200	Milligram
SAS-B	4/01/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd (intending to increase every 3 days. Max dose 1200mg daily)	200	Milligram
SAS-B	7/02/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	1 bd	200	Milligram
SAS-B	21/03/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	2 bd	200	Milligram
SAS-B	7/04/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	400mg bd	200	Milligram
SAS-B	14/06/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg bd, titrating according to reponse to a max 400mg tid	200	Milligram
SAS-B	4/07/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	500mg daily	200	Milligram
SAS-B	6/07/2017	Ketoconazole	Approved	6	Month(s)	Cushing disease	100mg daily	100	Milligram
SAS-B	13/07/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200 milligrams twice daily, titrating according to response to a maximum of 400 milligrams three times a day	100	Milligram
SAS-B	17/07/2017	Ketoconazole	Approved	2	Month(s)	Cushing disease	200 milligrams three times a day	100,200	Milligram
SAS-B	21/07/2017	Ketoconazole	Approved	2	Month(s)	Cushing disease	200 milligrams twice daily	100	Milligram
SAS-B	26/07/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	100 milligram tablet taken twice daily, orally	100	Milligram
SAS-B	26/07/2017	Ketoconazole	Approved	6	Month(s)	Cushing disease	100 milligrams twice daily	100	Milligram
SAS-B	2/08/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	2 x 200 milligram tablet, twice daily	100	Milligram
SAS-B	9/08/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200 milligram tablet, 1 tablet taken twice daily, orally	100	Milligram
SAS-B	14/08/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	100 milligrams twice daily	100	Milligram
SAS-B	24/08/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200 milligrams twice daily	100,200	Milligram
SAS-B	31/08/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	400 milligrams taken twice daily	100,200	Milligram
SAS-B	5/09/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	2 x 200 milligrams, twice daily	100,200	Milligram
SAS-B	20/09/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200mg tablet 1m 2n titrated when required max 1200 milligrams per day, orally.	100,200	Milligram
SAS-B	3/10/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	400 milligrams in the morning, 200 milligrams at night	100,200	Milligram
SAS-B	5/10/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	400 milligrams twice daily when necessary, maximum 1200 milligrams daily	100,200	Milligram
SAS-B	20/10/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	300 milligrams in the morning, 200 milligrams at night, orally	100,200	Milligram
SAS-B	23/10/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200 milligrams, three times a day, orally	100,200	Milligram
SAS-B	6/11/2017	Ketoconazole	Approved	6	Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram
SAS-B	27/11/2017	Ketoconazole	Approved	12	Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram

SAS-B	29/11/2017	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram
SAS-A	4/01/2018	Ketoconazole	Completed		Cushing disease	200mg bd	100,200	Milligram
SAS-B	17/01/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	200 milligrams, twice daily, orally	100,200	Milligram
SAS-B	23/01/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram
SAS-A	5/02/2018	Ketoconazole	Completed		Cushing disease	200mg three times a day	100,200	Milligram
SAS-B	5/02/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	200 milligrams, three times a day, orally	100,200	Milligram
SAS-B	12/02/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg, orally, 1 three times a day, months-years if tolerated	100,200	Milligram
SAS-A	13/02/2018	Ketoconazole	Completed		Cushing disease	200mg up to three times a day	100,200	Milligram
SAS-B	16/02/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram
SAS-B	4/03/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	initially 200 milligrams three times daily, maximal dose 1200 milligrams per day	100,200	Milligram
SAS-B	27/03/2018	Ketoconazole	Approved	3 Month(s)	Cushing disease	200 milligrams, three times a day, orally	100,200	Milligram
SAS-A	16/03/2018	Ketoconazole	Completed		Cushing disease	1bd up to 2tds	100,200	Milligram
SAS-B	24/04/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	400 milligram orally, twice daily	100,200	Milligram
SAS-B	4/05/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	400 milligrams twice a day, orally	100,200	Milligram
SAS-B	16/05/2018	Ketoconazole	Approved	6 Month(s)	Cushing disease	600 to 800 milligram orally, daily	100,200	Milligram
SAS-A	19/03/2018	Ketoconazole	Completed		Cushing disease	200mg bd	100,200	Milligram
SAS-A	19/04/2018	Ketoconazole	Completed		Cushing disease	intital 1 tds, titrate to 2 tds prn	100,200	Milligram
SAS-A	25/05/2018	Ketoconazole	Completed		Cushing disease	1 tds	100,200	Milligram
SAS-B	1/06/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams three times daily, orally	100,200	Milligram
SAS-B	19/06/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams, twice daily, orally	100,200	Milligram
SAS-A	25/05/2018	Ketoconazole	Non-Compliant		Cushing disease	1 mane, 2 nocte	100,200	Milligram
SAS-B	13/07/2018	Ketoconazole	Approved	3 Month(s)	Cushing disease	up to 400mg three times daily	100,200	Milligram
SAS-A	1/06/2018	Ketoconazole	Completed		Cushing disease	200mg tds	100,200	Milligram
SAS-B	23/07/2018	Ketoconazole	Approved	4 Month(s)	Cushing disease	200 milligrams, twice daily	100,200	Milligram
SAS-B	31/07/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	100 milligram twice daily, orally	100,200	Milligram
SAS-A	13/07/2018	Ketoconazole	Completed		Cushing disease	1 tab BD to 2 tabs TDS	100,200	Milligram
SAS-B	9/08/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams in the morning and 400 milligrams at night, orally	100,200	Milligram
SAS-A	17/07/2018	Ketoconazole	Completed		Cushing disease	1 BD	100,200	Milligram
SAS-A	9/08/2018	Ketoconazole	Completed		Cushing disease	1 mane 2 nocte	100,200	Milligram
SAS-B	17/09/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams, twice a day, orally	100,200	Milligram
SAS-B	18/09/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg twice daily, orally	100,200	Milligram
SAS-A	4/09/2018	Ketoconazole	Completed		Cushing disease	400mg mane 600mg nocte	100,200	Milligram
SAS-B	8/10/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	600 milligram in the morning and 400 milligram at night (maximum of 1200 milligram per day)	100,200	Milligram
SAS-B	8/10/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligrams orally twice daily	100,200	Milligram
SAS-B	18/10/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg orally twice daily	100,200	Milligram
SAS-B	13/11/2018	Ketoconazole	Approved	12 Month(s)	Hypercortisolism	100mg twice a day, orally	100,200	Milligram
SAS-B	25/11/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200 milligram, 3 times a day, orally	100,200	Milligram
SAS-B	9/12/2018	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg twice daily, orally	100,200	Milligram
SAS-A	12/09/2018	Ketoconazole	Completed		Cushing disease	2 bd	100,200	Milligram
SAS-B	1/03/2019	Ketoconazole	Awaiting Decision	12 Month(s)	Cushing disease	200mg in the morning then 400mg at night orally	100,200	Milligram
SAS-B	3/04/2019	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg mane and 400mg nocte PO	100,200	Milligram
SAS-B	8/04/2019	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg and 400mg on alternate days, orally	100,200	Milligram
SAS-B	16/05/2019	Ketoconazole	Approved	12 Month(s)	Cushing disease	200mg bd	100,200	Milligram
SAS-A	25/09/2018	Ketoconazole	Completed		Cushing disease	200mg bd	100,200	Milligram
SAS-A	26/09/2018	Ketoconazole	Completed		Cushing disease	600mg mane 400mg nocte	100,200	Milligram

SAS-A	12/10/2018	Ketoconazole	Completed	Cushing disease	200mg po TDS	100,200	Milligram
SAS-A	1/03/2019	Ketoconazole	Completed	Cushing disease	1 mane 2 nocte	100,200	Milligram
SAS-A	22/05/2019	Ketoconazole	Completed	Cushing disease	BD	100,200	Milligram
SAS-A	30/05/2019	Ketoconazole	Completed	Cushing disease	daily	100,200	Milligram
SAS-A	3/06/2019	Ketoconazole	Completed	Cushing disease	2 BD	100,200	Milligram